

# State of Texas WELL REPORT

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

1) OWNER Jimmy Henry (Name) ADDRESS P.O. Box 1775 New Waverly Tx 77358 (Street or RFD) (City) (State) (Zip)  
 2) ADDRESS OF WELL'S LOCATION County Walker 111 Buckner rd New Waverly Tx 77358 (Street, RFD or other) (City) (State) (Zip) Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
 Grid # 60-29-7

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
 (4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 If Public Supply well, were plans submitted to the TNRCC?  Yes  No  
 5) \_\_\_\_\_  
 6) WELL LOG: Date Drilling: \_\_\_\_\_ Started 8-15 2002 Completed 8-21 2002  
 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
6 7/8 Surface 135  
 7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  Air Hammer  Cable Tool  Jetted  Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0	1	brown sand
1	11	red clay
11	60	yellow clay
60	140	brown sand

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4"	New	PVC casing	surface	115	
4"	New	PVC screens	115	135	.008

9) CEMENTING DATA  
 Cemented from surface ft. to 10 below surface ft. No. of sacks used 4  
 Method used \_\_\_\_\_  
 Cemented by \_\_\_\_\_  
 Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
 Method of verification of above distance NO Septic System

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 110 ft.

15) WELL TESTS:  
 Type test:  Pump  Bailer  Jetted  Estimated  
 Yield: 20 gpm with 30 ft. drawdown after 4 hrs.

16) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Was a chemical analysis made?  Yes  No

10) SURFACE COMPLETION:  Specified Surface Slab Installed  Specified Steel Sleeve Installed  Pileless Adapter Used  Approved Alternative Procedure Used

11) WATER LEVEL:  
 Static level 50 ft. below land surface Date 8-21-2002  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:  
Rubber Type \_\_\_\_\_ Depth 120

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2275 WP  
 ADDRESS 1857 A Fm 1375 E (Street or RFD) Huntsville (City) TX (State) 77346 (Zip)  
 (Signed) Arthur R. Slott (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

**RECEIVED**  
TDLR MAIL ROOM

**SEP 23 2002**

RECEIPT # \_\_\_\_\_ AMOUNT \_\_\_\_\_

**RECEIVED**

NOV 22 2004

**CENTRAL FILE ROOM**



**Attention Owner:**  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Cheryl Williams</b>	Address <b>PO BOX 813</b>	City <b>New Waverly</b>	State <b>TX</b>	Zip <b>77358</b>
--------------------------------	------------------------------	----------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>Joyner Rd</b>	City <b>New Waverly</b>	State <b>TX</b>	Zip <b>77358</b>
-------------------------	--------------------------------------	----------------------------	--------------------	---------------------

**3) Type of Work** Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-29-7**

New Well     Deepening     Reconditioning

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic

Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell

If Public Supply well, were plans submitted to the TNRCC?     Yes     No

<b>6) Drilling Date</b> Started <u>4/26/01</u>  Completed <u>4/30/01</u>	<b>Diameter of Hole</b>			<b>7) Drilling Method (check)</b> <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
	Dia. (in)	From (ft)	To (ft)	
	6.75	-1.5	248	

<b>8) Borehole Completion</b> <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____
---

If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft)	To (ft)	Description and color of formation material	<b>Casing, Blank Pipe, and Well Screen Data</b>	
			Dia. (in.)	New Or Used
0	1	Bit t.s.		
1	69	Br.cl.		
69	71	R.st.		
71	81	Br.cl.		
81	101	Br.&w.gumbocl.		
101	141	Br.gumbo cl.w/r.st.	4	N
141	161	Br. gumbo cl.	2.5	N
161	181	Br.cl. w/sd.&r.st.		
181	211	Br.cl.		
211	234	Sd.st.		
234	248	Sd.		

**9) Cementing Data**  
Cementing from -1.5 ft. to 20 ft. # of sacks used 2  
85 ft. to 235 ft. # of sacks used 7

Method Used **Pressure**  
Cementing By **R. McPike**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**     Turbine     Jet     Submersible     Cylinder     Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 220 ft.

**15) Water Test**  
Type test     Pump     Bailer     Jetted     Estimated

Yield: 10 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**  
Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water Good    Depth of Strata 14  
Was a chemical analysis made?     Yes     No

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**    Lic. No. **3114W**

Address <b>2928 SH 19</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
---------------------------	------------------------	-----------------	------------------

Signature *Raymond McPike*    Date \_\_\_\_\_    Signature \_\_\_\_\_    Date \_\_\_\_\_  
Licensed Driller/Pump Installer    Apprentice

Stamp: **MAY 29 2001**  
Stamp: **COMMERCIAL**

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <i>Jimmy Prestwood</i>	Address <i>Buckner Rd.</i>	City <i>New Waverly</i>	State <i>TX</i>	Zip
--------------------------------	-------------------------------	----------------------------	--------------------	-----

**2) WELL LOCATION**

County <i>Walker</i>	Physical Address <i>(same)</i>	City	State	Zip
-------------------------	-----------------------------------	------	-------	-----

**3) Type of Work**

New Well     Reconditioning  
 Replacement     Deepening

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # *60-29-7*

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic

Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 Rig Supply    If Public Supply well, were plans submitted?     Yes     No

5) *N↑*

**6) Drilling Date**

Started *2/15/01*  
Completed *2/17/01*

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
<i>7</i>	<i>0</i>	<i>200</i>

**7) Drilling Method (check)**

Air Rotary     Mud Rotary     Driven  
 Air Hammer     Cable Tool     Bored  
 Jetted  
 Other \_\_\_\_\_

**From (ft) To (ft) Description and color of formation material**

<i>0-62</i>	<i>Clay</i>
<i>62-171</i>	<i>Sand</i>
<i>171-176</i>	<i>Clay</i>
<i>176-195</i>	<i>Sand</i>
<i>195-200</i>	<i>Clay</i>

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
 If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC.</i>	<i>0-180</i>	<i>40</i>	
<i>4</i>	<i>N</i>	<i>PVC. JACOBS</i>	<i>180-190</i>	<i>0.8</i>	
<i>4</i>	<i>N</i>	<i>PVC.</i>	<i>190-200</i>	<i>40</i>	

(Use reverse side of Well Owner's copy, If necessary)

**13) Plugged**

Well plugged within 48-hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Type Pump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet etc. *160* ft.

**15) Water Test**

Type test  Pump     Bailer     Jetted     Estimated  
 Yield: *12* gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate a strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
 Type of water *Potable*    Depth of Strata *19'*  
 Was a chemical analysis made     Yes     No

**9) Cementing Data**

Cementing from *0* ft. to *100* ft. # of sacks used *12*  
 ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_  
 Method Used *Premix*  
 Cementing By *CWLD*  
 Distance to septic system field or other concentrated contamination *100'*  
 Method of verification of above distance *not in yet.*

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**

Static level *55* ft. below    Date *2/17/01*  
 Artesian Flow \_\_\_\_\_ gpm.    Date \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

**12) Packers**

Type	Depth #
<i>Formation</i>	<i>100'</i>

Company or individual's Name (type or print) <i>COASTAL WATERWELL Serv. Inc.</i>	Address <i>P.O. Box, 745</i>	City <i>Porter</i>	State <i>TX</i>	Zip <i>77365</i>
Signature <i>J.R. Gehrels</i>	Date <i>2/17/01</i>	Signature <i>Melvin A. [Signature]</i>	Date <i>2/17/01</i>	
Licensed Driller/Pump Installer	Date	Apprentice	Date	

FILE ID: *Formation*  
 APR 03 2001  
 Lic. No. *812*  
 COMMENT: \_\_\_\_\_  
 DEPT: \_\_\_\_\_



ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER UNIVERSAL Forest Product ADDRESS PO Box 1730 New Waverly TX 77358  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: same Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-29-7

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5) 145 old 25  
near Waverly  
↑

6) WELL LOG:  
Date Drilling: \_\_\_\_\_  
Started 1/25/19 2000  
Completed 2/17/19 2000

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>9 1/8</u>	<u>0</u>	<u>230</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>	<u>136-146</u>	<u>Top Soil Clay</u>
<u>2-20</u>	<u>146-192</u>	<u>Clay Sand</u>
<u>20-25</u>	<u>192-194</u>	<u>Rock</u>
<u>25-76</u>	<u>194-230</u>	<u>Clay Rock</u>
<u>76-78</u>		<u>Sand</u>
<u>78-80</u>		<u>Rock</u>
<u>80-88</u>		<u>Sand</u>
<u>88-90</u>		<u>Rock</u>
<u>90-95</u>		<u>Sand</u>
<u>95-98</u>		<u>Rock</u>
<u>98-116</u>		<u>Clay</u>
<u>116-136</u>		<u>Sand</u>

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other Two strings  
If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>8"</u>	<u>N</u>	<u>PVC casing</u>	<u>0</u>	<u>190</u>	
<u>3"</u>	<u>N</u>	<u>Steel Liner</u>	<u>185</u>	<u>190</u>	
<u>3"</u>	<u>N</u>	<u>Stainless screen</u>	<u>190</u>	<u>230</u>	<u>#10</u>

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA  
Cemented from 190 ft. to 0 ft. No. of sacks used 88 sacks  
ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used Full return cement  
Cemented by B+R water well  
Distance to septic system field lines or other concentrated contamination 100 ft.  
Method of verification of above distance Tape measure

14) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 168 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Steel Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

15) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 75 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 108 ft. below land surface Date 2/17/2000  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

16) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS:  
Type Depth  
2 - 1/2" Tr. Seg 1 X Packers 185"

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME B+R water well  
(Type or print)  
ADDRESS 40619 FM 149  
(Street or RFD)  
(Signed) [Signature]  
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 50111 WPK  
MAGNOLIA TX 77355  
(City) (State) (Zip)  
(Signed) JUN 26 2000  
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available...



Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy

State of Texas  
WELL REPORT

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER James McNatt ADDRESS 9323 Balwood Houston TX 77088  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Buckner Rd. New Waverly TX 77358 GRID # 60-29-7  
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Monitor  Environmental Soil Boding  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG: Date Drilling: Started 3/9 99 Completed 3/11 99  
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
7" Surface 160'  
7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  Other

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	BLK TOP SOIL, CL
5	22	BRN CL
22	23	STONE
23	50	TAN CL
50	62	SND
62	80	GRAY CL
80	85	BRKN SND
85	103	GOOD SND
103	130	SHALE
130	160	GOOD SND

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	150	
4	N	PVC SLOTTED	150	160	.008

13)  Well plugged within 48 hours  
Casing left in well: From (ft) To (ft) Cement/bentonite placed in well: From (ft) To (ft) Sacks used:  
14) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

9) CEMENTING DATA  
Cemented from 0 ft. to 100 ft. No. of sacks used 12  
Method used Pressure Tremmie  
Cemented by Ballard Water Well  
Distance to septic system field lines or other concentrated contamination 100+ ft.  
Method of verification of above distance Measure

15) WELL TESTS: Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 50 gpm with 20 ft. drawdown after 2 hrs.  
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Sch 80 Steeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

11) WATER LEVEL  
Static Level 65 ft. below land surface Date 3/11/99  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

12) PACKERS: Type Depth  
4" X 7" FORMATION 100

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well WELL DRILLER'S LICENSE NO. 2384WI  
ADDRESS P.O. Box 970 Willis TX 77378  
(Signed) Charles A. Ballard (City) (State) (Zip) SEQ #  
(Licensed Well Driller) (Signed) (Registered Driller Trainee) DESC 60  
Please attach electric log, chemical analysis, and other pertinent information, if available. APR 17 2000



1) OWNER: GNEMI, JOHN ADDRESS: HWY 150 CITY: NEW WAVERLY STATE: TX ZIP: -

2) ADDRESS OF WELL: 5)  
County: WALKER GRID #  
Street or RFD: BOB BELL RANCH PROPERTY  
City, State, Zip code: NEW WAVERLY, TX

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC  
If Public Supply well, were plans submitted to the TNRCC? 60-29-7

6) WELL LOG: 02346		DIAMETER OF HOLE		7) DRILLING METHOD:	8) BOREHOLE COMPLETION:		
DATE DRILLING:	DIAMETER	FROM	TO				
STARTED: 07/26/96	6.5	0	227	MUD ROTARY	STRAIGHT WALL		N
COMPLETED:	4.5	227	240		IF GRAVEL...	FROM	FT. TO
						FROM	FT. TO

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC	0	227	SCH 40
2.5	N	GALV.	217	228	SCH 40
2.5	N	RBSS	228	238	10 GA
2.5	N	DOWN HOLE ASSEMBLY	238	240	SCH 40

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	1	TOPSOIL
1	115	CLAY
115	117	CLAY ROCK
117	125	ROCK
125	135	SAND ROCK
135	147	SAND
147	152	CLAY
152	217	SAND WITH SHALE
217	240	SAND

9) CEMENTING DATA:  
Cemented from 0 FT. TO 227 FT. No. of Sacks Used 22  
FT. TO FT.  
Method used: PRESSURE  
Cemented by: WEISINGER WATER WELL  
Distance to septic field lines: ft.  
Method of verification of above distance:

10) SURFACE COMPLETION:  
APP. ALTER. PROCD.

11) WATER LEVEL:  
STATIC LEVEL : 96 FT. DATE:  
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
BP SEAL	217

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP:  
14) WELL TEST: JETTED YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO CHEMICAL ANALYSIS MADE  
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541,1991,&1992 FOR TWC USE ONLY  
ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 WELL NO. \_\_\_\_\_  
LOCATED ON MAP \_\_\_\_\_

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (signed) \_\_\_\_\_  
(LICENSED WATER WELL DRILLER)

RECEIVED  
JUN 1997  
REGISTERED DRILLER TRAINEE TEXAS NATURAL RESOURCE CONSERVATION COMMISSION



<b>ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side</b>		<b>State of Texas WELL REPORT</b>		<b>Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299</b>																																															
1) OWNER <u>New Waverly ISD</u> ADDRESS <u>PO Box 38 New Waverly, Tx 77358</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL: <u>Walker</u> <u>2 m. South of New Waverly on Hwy 75</u> STATE WELL # _____ <small>County (Street or RFD) (City) (State) (Zip)</small>																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____ <div style="text-align: right; font-size: 1.2em;">60-29-7</div>																																															
6) WELL LOG: Date Drilling: Started <u>7-15</u> 19 <u>96</u> Completed <u>7-16</u> 19 <u>96</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr> <td>6.5</td> <td>Surface</td> <td>320</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	6.5	Surface	320																																					
DIAMETER OF HOLE																																																			
Dia. (in.)	From (ft.)	To (ft.)																																																	
6.5	Surface	320																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>1</td><td>T.S.</td></tr> <tr><td>1</td><td>30</td><td>Br. Cl.</td></tr> <tr><td>30</td><td>32</td><td>R. St.</td></tr> <tr><td>32</td><td>40</td><td>Br. cl.</td></tr> <tr><td>40</td><td>60</td><td>w. cl. w/ sd. st.</td></tr> <tr><td>60</td><td>80</td><td>br. sd.</td></tr> <tr><td>80</td><td>94</td><td>sd.</td></tr> <tr><td>94</td><td>95</td><td>r.</td></tr> <tr><td>95</td><td>100</td><td>sd.&amp;cl.</td></tr> <tr><td>100</td><td>108</td><td>sd.</td></tr> <tr><td>108</td><td>125</td><td>sd. cl.</td></tr> <tr><td>125</td><td>148</td><td>sd.</td></tr> <tr><td>148</td><td>162</td><td>cl.</td></tr> <tr><td>162</td><td>185</td><td>sd.</td></tr> <tr><td>185</td><td>240</td><td>bl. cl.</td></tr> </tbody> </table> <p style="text-align: center; font-size: 0.8em;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	1	T.S.	1	30	Br. Cl.	30	32	R. St.	32	40	Br. cl.	40	60	w. cl. w/ sd. st.	60	80	br. sd.	80	94	sd.	94	95	r.	95	100	sd.&cl.	100	108	sd.	108	125	sd. cl.	125	148	sd.	148	162	cl.	162	185	sd.	185	240	bl. cl.	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																																	
0	1	T.S.																																																	
1	30	Br. Cl.																																																	
30	32	R. St.																																																	
32	40	Br. cl.																																																	
40	60	w. cl. w/ sd. st.																																																	
60	80	br. sd.																																																	
80	94	sd.																																																	
94	95	r.																																																	
95	100	sd.&cl.																																																	
100	108	sd.																																																	
108	125	sd. cl.																																																	
125	148	sd.																																																	
148	162	cl.																																																	
162	185	sd.																																																	
185	240	bl. cl.																																																	
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC Casing</td> <td>-1.5</td> <td>166</td> <td></td> </tr> <tr> <td>2.5</td> <td>N</td> <td>Undercut screen</td> <td>166</td> <td>136</td> <td>#10</td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	166		2.5	N	Undercut screen	166	136	#10																												
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																																												
			From	To																																															
4	N	PVC Casing	-1.5	166																																															
2.5	N	Undercut screen	166	136	#10																																														
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>170</u> ft. to <u>320</u> ft. No. of sacks used <u>7</u> Method used <u>By pressure</u> Cemented by <u>K. McPike</u> Distance to septic system field lines _____ ft. Method of verification of above distance <u>no septic</u>																																																	
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>20</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level _____ ft. below land surface    Date <u>7-16-96</u> Artesian flow _____ gpm.    Date _____																																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>23</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td>K-packer</td> <td>161</td> </tr> </tbody> </table>		Type	Depth	K-packer	161																																												
Type	Depth																																																		
K-packer	161																																																		
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																			
COMPANY NAME <u>Holly Water Wells</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>3114W</u>																																																	
ADDRESS <u>607 Hwy 19</u> <small>(Street or RFD)</small>		<u>Huntsville</u> Tx <u>77340</u> <small>(City) (State) (Zip)</small>																																																	
(Signed) <u>Raymond McPike</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																																	

Please attach electric log, chemical analysis, and other pertinent information, if available.



2.0 mi SINL  
1.1 mi E1WL

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Louis Blazek Address P.O. Box 672 New Waverly Tex 77358  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL County Walker 2 miles in S direction from New Waverly  
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map.

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

6 1/8 Surface 103

Date drilled 7-14-86

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0 - 1/2 Top Soil (SANDY)  
1/2 - 11 CLAY (white & Red)  
11 - 26 CLAY (white)  
26 - 48 CLAY (white & yellow)  
48 - 59 SAND & clay (white)  
59 - 70 SAND & ROCK (BROWN)  
70 - 80 SAND (BROWN)  
80 - 103 SAND Lt. (BROWN)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<input checked="" type="checkbox"/>	<u>PVC Sch 40 C. 08</u>	<u>0</u>	<u>83</u>	
<u>4</u>	<input checked="" type="checkbox"/>	<u>PVC Sch 40 screen slotted</u>	<u>83</u>	<u>103</u>	<u>.010</u>

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 0 ft. to 10 ft.  
ft. to \_\_\_\_\_ ft.

Method used 2 FT X 2 FT X 4 in.  
Cemented by SLAB ON SURFACE

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 38 ft. below land surface Date 7-15-86  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type Formation Depth 83

13) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water?  Yes  No


If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Was a chemical analysis made?  Yes  No

14) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 7 gpm with 20 ft. drawdown after 4 hrs.



I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275  
(Type or Print)

ADDRESS Rt # Box 1094 Huntsville TEXAS 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Arthur R. Slott (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR, use only  
Well No. 60-29-7  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1.9m. SINL  
.7m: E1Wh

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ANNA Krystyniak Address P.O. Box 271 New Waverly Tex. 77358  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL County WALKER 134 miles in 5 direction from New Waverly Tex.  
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map.

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)

6 7/8 Surface 178

Date drilled 7-1-86

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0 - 1/2 Top soil (Sandy loam)  
1/2 - 5 CLAY (Red)  
5 - 11 CLAY (yellow)  
11 - 26 Rock + CLAY (yellow)  
26 - 37 Rock + CLAY + SAND (yel + br)  
37 - 75 SAND (Brown)  
75 - 92 SAND + CLAY (white)  
92 - 136 SAND + Rock (Brown)  
136 - 147 CLAY + Rock (Grey)  
147 - 158 CLAY (Grey)  
158 - 178 SAND + Rock (Grey)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<input checked="" type="checkbox"/>	<u>PVC sch 40 CAS</u>	<u>0</u>	<u>158</u>	
<u>4</u>	<input checked="" type="checkbox"/>	<u>PVC sch 40 slotted screen</u>	<u>158</u>	<u>178</u>	<u>.010</u>

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 0 ft. to 10 ft.

Method used 2 Ft x 2 Ft x 4 in. slab on surface  
Cemented by \_\_\_\_\_

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 40 ft. below land surface Date 7-3-86  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type Formation Depth 158

13) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water?  Yes  No


If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Was a chemical analysis made?  Yes  No

14) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 40 gpm with 20 ft. drawdown after 3 hrs.



I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Works Water Well Driller's License No. 2215  
(Type or Print)

ADDRESS Rt #4 Box 1094 Huntsville Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Arthur L. Slott (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-29-7  
Located on map \_\_\_\_\_


**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

ANNA Krystyniak  
 III A.B. Butler  
 II Louis Blazek  
 IV Phillip Yohak  
 V Johnny Vick





**LEGEND**

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	AIRPORT
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING
	FOREST
	LAKE
	RIVER
	MOUNTAIN
	ELEVATION
	CONTOUR
	SPOT ELEVATION
	BOUNDARY
	SECTION
	TOWNSHIP
	RANGE
	MERIDIAN
	LATITUDE
	LONGITUDE



**GENERAL HIGHWAY MAP**  
**WALKER COUNTY**  
**TEXAS**

PREPARED BY THE  
 STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION



Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Alex Wojcik (Name) Address Rt#1 Box 345 New Waverly Tex 77358 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 3 miles in E direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. Map on 60-29-5N

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Public Supply  Irrigation  Test Well  Other  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other

6) WELL LOG: Date drilled 11-12-15-84  
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
6 7/8 Surface 209  
7) BOREHOLE COMPLETION:  Open Hole  Straight Wall  Underreamed  Gravel Packed  Other  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0	1	Top Soil (SANDY)	
1	6	CLAY (Red)	
6	22	CLAY (yellow)	
22	55	CLAY + ROCK (TAN)	
55	70	CLAY (white)	
70	77	SAND (Brown)	
77	99	CLAY (lt. Grey)	
99	110	SHALE (Grey)	
110	143	CLAY (Grey + TAN)	
143	165	SAND + SHALE (Brown)	
165	209	SAND + ROCK (Brown)	

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft.  
Method used with 2ft x 2ft x 4 in. slab on surface  
Cemented by \_\_\_\_\_

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 80 ft. below land surface Date 11-14-84  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Formation Depth 179

13) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 12 gpm with 40 ft. drawdown after 5 hrs.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

RECEIVED  
JAN - 7 1985

DEPT. OF  
WATER RESOURCES

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275  
ADDRESS Rt#4 Box 1094 Huntsville Tex 77340  
(Signed) Arthur R. Slott (Registered Driller Trainee) Dup  
(Licensed Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.  
Well No. 60-29-72  
Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

*[Faint, illegible text or stamp]*

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER A. Q. Buckner (Name) Address P.O. Box 105 New Waverly Tex. 77358 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 1 1/4 miles in S direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. 60-20-76

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 7-9-12-84  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 7/8 Surface 118

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0 - 1/2		Top Soil (SANDY)
1/2 - 3		CLAY + SAND (Red)
3 - 24		CLAY (yellow)
24 - 52		SAND + CLAY (yellow)
52 - 90		CLAY (white)
90 - 98		CLAY + SAND (Brown)
98 - 118		SAND (Light Brown)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	<input checked="" type="checkbox"/>	PVC well cas.	0	98	40
4	<input checked="" type="checkbox"/>	PVC well screen slotted	98	118	D10

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft.  
Method used Poured  
Cemented by Arthur Slott

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 30 ft. below land surface Date 7-12-84  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth  
1 Formation 98

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
Depth to pump bowls, cylinder, jet, etc., 98 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 6 gpm with 30 ft. drawdown after 2 hrs.

RECEIVED  
JUL 30 1984  
DEPT. OF WATER RESOURCES  
(Use reverse side if necessary)

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275  
ADDRESS Rt # Box 1094 Huntsville Texas 77340  
(Signed) Arthur B. Slott (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TDWR use only  
Well No. 6029-7F  
Located on map 40 MM

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER JOHN L. MALAK Address Rt#1 Box 3292 New Waverly Tex. 77358
2) LOCATION OF WELL: County Walker 3 miles in SW direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... I See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date 4-23-27-84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 7/8 Surface 160
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), and Casing/Screen data. Rows include Top soil (Blackland), Clay (Red), Clay (Yellow), Sand (Brown), Clay (Grey), Sand (Brown), Clay (Grey), Shale (Grey + Brown), Sand + Shale, and Sand (Brown).

CEMENTING DATA: Cemented from 0 ft. to 10 ft. Method used 2HX 2ft x 4in SLAB Cemented by ON SURFACE

9) WATER LEVEL: Static level 80 ft. below land surface Date 4-25-84 Artesian flow gpm. Date

RECEIVED JUN 13 1984 DEPT. OF WATER RESOURCES

10) PACKERS: Type (K)Rubber Depth 140

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 138 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 4 1/2 gpm with 35 ft. drawdown after 6 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME A A A water wells Water Well Driller's License No. 22 75 ADDRESS Rt#4 Box 1094 Huntsville Tex. 77340 (Signed) Arthur S. Slott (Signed) DWB

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-7d Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).




01-13-78  
10:58  
DEPARTMENT OF WATER RESOURCES

JOHN L. WOODS  
 KENNETH C. SMITH  
 LOUIS KRYSZTAK  
 W.E. CAIN  
 MARAK



**LEGEND**

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	UNIMPROVED ROAD
	RAILROAD
	AIRWAY
	CANAL
	RIVER
	LAKE
	RESERVOIR
	FOREST
	NATIONAL MONUMENT
	STATE PARK
	CITY
	TOWN
	VILLAGE
	HAMLET
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	POST OFFICE
	TELEPHONE EXCHANGE
	POWER LINE
	WATER LINE
	SEWER LINE
	GAS LINE
	ELECTRIC LINE
	TELEPHONE LINE
	FIRE HYDRANT
	FIRE ALARM BOX
	FIRE STATION
	POLICE STATION
	COURT HOUSE
	JAIL
	PRISON
	HOSPITAL
	SCHOOL BUILDING
	CHURCH BUILDING
	PUBLIC BUILDING
	POST OFFICE BUILDING
	TELEPHONE EXCHANGE BUILDING
	POWER PLANT
	WATER TOWER
	SEWER TREATMENT PLANT
	GAS STATION
	ELECTRIC SUBSTATION
	TELEPHONE STATION
	FIRE HYDRANT
	FIRE ALARM BOX
	FIRE STATION
	POLICE STATION
	COURT HOUSE
	JAIL
	PRISON
	HOSPITAL
	SCHOOL BUILDING
	CHURCH BUILDING
	PUBLIC BUILDING
	POST OFFICE BUILDING
	TELEPHONE EXCHANGE BUILDING
	POWER PLANT
	WATER TOWER
	SEWER TREATMENT PLANT
	GAS STATION
	ELECTRIC SUBSTATION
	TELEPHONE STATION



**GENERAL HIGHWAY MAP**  
**WALKER COUNTY**  
**TEXAS**

PREPARED BY THE  
 STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION

1969  
 1960 CENSUS FIGURES  
 HIGHWAYS REVISED TO MARCH 1, 1962  
 CONTROL: U.S. COUNTY AND QUADRENT SYSTEM AND U.S. GEOGRAPHICAL SURVEY

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerome Pasket Address P.O. Box 304 New Waverly Tex 77358
2) LOCATION OF WELL: County Walker 2 1/2 miles in S.W. direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scalé Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA

CEMENTING DATA: Cemented from 0 ft. to 10 ft. Method used 2 ft x 2 ft x 4 in Slab on Surface

9) WATER LEVEL: Static level 92 ft. below land surface Date 1-26-84

10) PACKERS: Type Rubben Depth 240ft 250ft

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 7 gpm with 80 ft. drawdown after 6 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt #4 Box 1094 Huntsville Texas 77340
(Signed) Arthur R. Slett (Licensed Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-78 Located on map yes c.f.s.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
MAY 1981  
NO. 1730  
WATER RESOURCES



RECEIVED  
FEB 24 1984

Map #5 (3)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER George E. McVieco (Name) Address I-45 North New Waverly Tx 77355 (Street or RFD) (City) (State) (Zip)  
 2) LOCATION OF WELL: County Walker 2 miles in S direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
 Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
 Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. 60-28-9H

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
 5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 10-21-83  
 DIAMETER OF HOLE  

Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>165</u>
<u>4 1/2</u>	<u>165</u>	<u>177</u>

 7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
<u>0</u>	<u>95</u>	<u>CLAY</u>					
<u>95</u>	<u>120</u>	<u>SAND</u>					
<u>120</u>	<u>138</u>	<u>CLAY</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>165</u>
<u>138</u>	<u>131</u>	<u>ROCK</u>	<u>2</u>	<u>N</u>	<u>Galv liner</u>	<u>156</u>	<u>167</u>
<u>131</u>	<u>177</u>	<u>SAND</u>	<u>2</u>	<u>N</u>	<u>R B SS screen</u>	<u>167</u>	<u>177</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
 CEMENTING DATA  
 Cemented from 0 ft. to 165 ft.  
 Method used pressure cement  
 Cemented by Weisinger (Company or Individual)

9) WATER LEVEL:  
 Static level 62 ft. below land surface Date 10-21-83  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

RECEIVED  
 JUL - 3 1984

DEPT. OF WATER RESOURCES  
 (Use reverse side if necessary)

13) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
 If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Was a chemical analysis made?  Yes  No

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
 Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME John E. Weisinger (Type or Print) Water Well Driller's License No. 1541  
 ADDRESS WEISINGER WATER WELL, INC. (City) 2200 E. Davis (Zip) Conroe, Texas 77301  
 (Signed) John E. Weisinger (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee) (713) 756-7721

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-7C Located on map 40 MM

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

60-29-7Q

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Lorraine Belinowski Address P.O. Box 93 New Waverly Tex 77358
2) LOCATION OF WELL: County Walker 1 1/2 miles in S.E. direction from New Waverly

Legal description: Section No. Block No. Township. Abstract No. Survey Name. Distance and direction from two intersecting section or survey lines. See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 3-21-83. DIAMETER OF HOLE: Dia. (in.) 6 3/8, From (ft.) Surface, To (ft.) 158. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes entries for Top Soil, Clay, Sand, and Rock.

CEMENTING DATA: Cemented from None ft. to None ft. Method used. Cemented by.

9) WATER LEVEL: Static level 63 ft. below land surface Date 3-24-83. Artesian flow gpm. Date.

RECEIVED APR 19 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Rubben Depth 128 - 148

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 130 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. Type of water? Depth of strata? Was a chemical analysis made? Yes No.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 10 gpm with 31 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 22 75. ADDRESS Rt # 4 Box 1094 Hantsville Texas 77340. (Signed) Arthur L. Slott (Licensed Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-7Q Located on map YES C-FS

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



3 on map

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-2P Located on map yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER: marion Kuzmirek (Name) Address: New Waverly TX 77377 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County: Walker 1 1/2 miles in S direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map: nagon 60-28-5H

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled: 4/12/82
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
8 1/2 Surface 104
4 1/2 104 115
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes data for clay, sand, and PVC casing.

CEMENTING DATA: Cemented from 0 ft. to 104 ft. Method used: Cemented by:

9) WATER LEVEL: Static level 38 ft. below land surface Date 4/2/82 Artesian flow 30 gpm.

RECEIVED OCT 15 1982

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME: John E. Weisinger (Type or Print) Water Well Drillers Registration No. 1541
ADDRESS: WEISINGER WATER WELL, INC. 2200 E. Davis Conroe, Texas 77301 (713) 756-7721
(Signed) John E. Weisinger (Water Well Driller)

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Q W R B  
NO. 1113  
GEORGE F. H. H. H.

18

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-7H Located on map Yes Received: 79 STC

1) OWNER Viola Arnold Address 7M 1374 New Waverly Tx 77358
2) LOCATION OF WELL County Walker 4 miles in W direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. #18, Map on 60-53-3DDD Montgomery Co.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Table with columns for Date drilled, Diameter of Hole (Dia. in., From ft., To ft.), and Description and color of formation material.

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table for casing data with columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA: Cemented from 182 ft. to 182 ft. Method used Pressure Cemented by Weisinger

9) WATER LEVEL: Static level 68 ft. below land surface Date 2-15-79 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger Water Well Drillers Registration No. 1541 Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas 77301 (713) 756-7721

Please attach electric log, chemical analysis, and other pertinent information, if available.

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

MAR 21 '79

CR/TDWR

RECEIVED

MAR 12 1979

DEPT. OF  
WATER RESOURCES

RECEIVED

SEP 22 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

DEPT. OF WATER RESOURCES


For TWDB use only Well No. 60-29-7N Located on map Yes Received: 79 STC

WATER WELL REPORT

1) OWNER: Person having well drilled Bob Slott (Name) Address New Waverly Tex (Street or RFD) (City) (State) Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 4 miles in S direction from New Waverly (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 121 ft. Depth of completed well 121 ft. Date drilled 9-6-78 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 top soil, 2-50 SAND, 50-106 clay, 106-121 SAND

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft.

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Gage. Row: 2 inches, 0, 111, sch 40

10) SCREEN: Type plastic sch 40 Perforated Slotted

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Slot Size. Row: 2 inches, 111, 121, 012

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 5 gpm with 10 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 61 ft. below land surface Date 9-7-78 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Hard depth of strata 15'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. GRAHAM SR Water Well Drillers Registration No. 1781 ADDRESS Rt 3 Box 150 Willis TEXAS 77378 (Signed) James L. Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
MAR 16 '79  
CR/TDWB

RECEIVED

SEP 22 1978

Davis

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

DEPT. OF WATER RESOURCES

For TWDB use only Well No. 60-29-7W Located on map 122 Received: 7/2/88

WATER WELL REPORT

1) OWNER: Person having well drilled Felix KUZINARK Address New Waverly Tex Landowner Same Address SAME

2) LOCATION OF WELL: County Walker 4 miles in S direction from New Waverly

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 165 ft. Depth of completed well 165 ft. Date drilled 8-17-78

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, sand, rock & clay, and sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 155 Gage sch 40

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 10 gpm with 10 ft. drawdown after 1 hrs.

8) WATER LEVEL: Static level 60 ft. below land surface Date 8-20-78 Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? HARD depth of strata 30'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L. Graham Water Well Drillers Registration No. 1781 ADDRESS Rt 3 Box 150 Willis Texas 77378 (Signed) James L. Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.


RECEIVED  
MAR 16 '79  
CR/TDWE

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-29-7M.  
Located on map Y-5  
Received: 76  
*db*

1) OWNER:  
Person having well drilled Richard J McKEEHAN Address P.O. Box 13 New Waverly TEX  
(Name) (Street or RFD) (City) (State)  
Landowner Richard J McKEEHAN Address P.O. Box 13 New Waverly TEX  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 2 miles in SE direction from New Waverly  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. \*X New Waverly X well  
  
(Use reverse side if necessary)  
OR  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 182 ft. Depth of completed well 182 ft. Date drilled 5-11-76  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	33	CLAY
33	45	ROCK
45	51	SAND
51	125	CLAY
125	131	SAND
131	138	ROCK
138	141	CLAY
141	182	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from 0 ft. to 136 ft.  
Diameter (inches) Setting From (ft.) To (ft.) Gage  
4" 0 136 sch 40  
2" 133 182 sch 40

10) SCREEN:  
Type plastic 012 sch 80  
Perforated  Slotted   
Diameter (inches) Setting From (ft.) To (ft.) Slot Size  
2" 141 181 012

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: 15 gpm with 10 ft. drawdown after 1 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 68 ft. below land surface Date 5-13-76  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 119 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? Soft depth of strata 30'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME W. A. Waller Water Well Drillers Registration No. 1332  
(Type or Print)  
ADDRESS Box 516 New Waverly TEXAS  
(Street or RFD) (City) (State)  
(Signed) W. A. Waller AAA Water Wells Inc.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 4 1976  
GENERAL MANAGER  
TEXAS WATER DEVELOPMENT BOARD

RECEIVED  
JUN - 7 1976  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-76 Located on map 2125 Received: 75 Form GW 8 Form GW 9

1) OWNER: Person having well drilled B. Hyman Address OLD Willis-Waverly Rd (Street or RFD) (City) (State) Landowner Address WALKER CO. (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey



3) TYPE OF WORK (Check): New Well [X] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [X] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 180 ft. Depth of completed well 180 ft. Date drilled 12-10-74 All measurements made from 4 ft. above ground level.

Table with 2 columns for formation material logs. Left column: From (ft.) To (ft.) Description and color of formation material. Right column: From (ft.) To (ft.) Description and color of formation material. Includes handwritten entries like 'clay', 'sand with clay streaks', 'rock', 'sand', 'white clay', 'sand', 'sand + clay', 'clay'.

7) COMPLETION (Check): Straight wall [X] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ] 8) WATER LEVEL: Static level 54 ft. below land surface Date 12-10-74 Artesian pressure \_\_\_ lbs. per square inch Date \_\_\_

9) CASING: Type: old [ ] New [X] Steel [ ] Plastic [X] Other [ ] Cemented from 0 ft. to 4 ft. 10) SCREEN: Type PVC Everflow Perforated [ ] Slotted [X]

Table for casing and screen details. Columns: Diameter (inches), Setting (From (ft.) To (ft.)), Gage, Diameter (inches), Setting (From (ft.) To (ft.)), Slot size. Includes handwritten entries like '2', '0', '181', 'sch 40', '2', '181', '180', '012 ga'.

11) WELL TESTS: Was a pump test made? [ ] Yes [ ] No If yes by whom? Yield: 30 gpm with 3 feet drawdown after \_\_\_ hrs Bailer test \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Artesian flow \_\_\_ gpm Date \_\_\_ Temperature of water \_\_\_ Was a chemical analysis made? [ ] Yes [ ] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? \_\_\_ depth of strata \_\_\_

12) PUMP DATA: Manufacturer's Name Ruth Benz Type J.P.20 H.P. 3/4 Designed pumping rate \_\_\_ gpm [ ] gph [ ] Type power unit \_\_\_ Depth to bowls, cylinder, jet, etc., \_\_\_ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME RALPH M SCOTT (Type or Print) Water Well Drillers Registration No. 404 Address P.O. Box 275 (Street or RFD) Conroe (City) TEX (State) (Signed) Ralph M. Scott (Water Well Driller) CON TEX WATER WELL CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
JUN 12 1975  
General Services  
Texas Water Development Board

RECEIVED  
JAN - 6 1975  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB, use only  
Well No 60 29-7K  
Located on map 9E  
Received: 2-73

1) OWNER:  
Person having well drilled J.L. Boyd Address 6620 LOZIER Houston, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner \_\_\_\_\_ Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 15 miles in N direction from CONROE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
CONROE 45N  
105 E  
45  
North ↑  
(Use reverse side if necessary)  
or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 238 ft. Depth of completed well 238 ft. Date drilled 8/18/72  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	7	CLAY
7	42	SAND
42	105	CLAY
105	152	SAND
152	157	CLAY
157	182	SAND
182	187	CLAY
187	204	CLAY & Rock
204	222	SANDY Rock
222	238	WATER SAND

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 223  
10) SCREEN:  
Type Plastic  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 228 238 12  
seal pipe - 8'

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: 35 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 82 ft. below land surface Date 8/18/72  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? HIPH depth of strata 18

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME A.M. PATTERSON Water Well Drillers Registration No. 182  
(Type or Print)  
ADDRESS 109 N. MAGNOLIA CONROE, TEXAS  
(Street or RFD) (City) (State)  
(Signed) J.M. Patterson PATTERSON WATER WELLS  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
FEB 25 1973

Control Records  
Texas Water Development Board

RECEIVED  
JAN 4 1973  
RECEIVED

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-76 Located on map yes Received: 73 yes db

1) OWNER: Person having well drilled A. H. Hardy Address Rt. 2 New Waverly Tex Landowner Same Address Rt. 2 New Waverly Tex

2) LOCATION OF WELL: County WALKER, 6 miles in NE direction from New Waverly



Give legal location with distances and directions from adjacent sections or survey lines. Labor \_\_\_\_\_ League \_\_\_\_\_ Block \_\_\_\_\_ Survey \_\_\_\_\_ Abstract No. \_\_\_\_\_ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): New Well [checked] Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic [checked] Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary [checked] Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 297 ft. Depth of completed well 297 <sup>314</sup> ft. Date drilled 6-1-72

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Sand, Clay, Clay and Rock, Red clay, Shale and white clay, Sandy type clay, Sand - (water).

9) Casing: Type: Old New Steel Plastic Other Cemented from 0 ft. to 297 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 297 sch 40 2 1/2 297 304 sch. 80

7) COMPLETION (Check): Straight wall Gravel packed Other - Under reamed Open Hole two string

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs. Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs. Artesian flow \_\_\_\_\_ gpm Temperature of water \_\_\_\_\_

8) WATER LEVEL: Static level 130 ft. below land surface Date \_\_\_\_\_ Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_ Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Donald McKag Water Well Drillers Registration No. 688 ADDRESS P.O. Box 523 Willis, Texas (Signed) Donald McKag (Water Well Driller) M & M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEVELOPMENT BOARD  
TEXAS WATER

AUG 29 1973

RECEIVED

RECEIVED  
NOV 30 1973  
Texas Water Development Board


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-29-7H  
Located on map yes  
Received: 72

1) OWNER:  
Person having well drilled John Kuzniarek Address Gen Del New Waverly Texas  
(Name) (Street or RFD) (City) (State)  
Landowner John Kuzniarek Address Gen Del New Waverly Texas  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 1 1/2 miles in S. direction from New Waverly  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_



3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 4 in. Depth drilled 109 ft. Depth of completed well 109 ft. Date drilled 12-11-71  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Sand
3	10	Clay
10	63	Sand
13	65	Clay
65	66	Sand Stone
66	81	Shale
81	109	Sand

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 99 40  
10) SCREEN:  
Type Plastic  
Perforated  Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
4 99-109 4 12

(Use reverse side if necessary)  
7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_  
8) WATER LEVEL:  
Static level 36 ft. below land surface Date 12-13-71  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 105 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes  No \_\_\_\_\_ If yes, by whom? W.A. Waller  
Yield: 10 gpm with 10 ft. drawdown after 1 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_  
12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? Good depth of strata 38'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME W.A. Waller Water Well Drillers Registration No. 1332  
(Type or Print)  
ADDRESS 32 Jimmieside Course Texas  
(Street or RFD) (City) (State)  
(Signed) W.A. Waller A.A.A. Water Wells  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

FEB 3 1972

RECEIVED

RECEIVED

APR 13 1972

General Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-29-7d  
Located on map yes  
Received: 7/1  
alt

1) OWNER:  
Person having well drilled Felix Belenaski Address New Waverly, Tex.  
(Name) " (Street or RFD) (City) (State)  
Landowner \_\_\_\_\_ Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 3 miles in S direction from New Waverly  
(N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{2}$  NE $\frac{1}{2}$  SW $\frac{1}{2}$  SE $\frac{1}{2}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening   
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 4 3/4 in. Depth drilled 144 ft. Depth of completed well 144 ft. Date drilled 1-21-71  
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	48	Clay
48	71	sand
71	100	Clay
100	144	sand

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
2 0 136 sec 40

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_  
(Use reverse side if necessary)

10) SCREEN:  
Type Emerflow  
Perforated  Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 136 144 1 1/2 in

8) WATER LEVEL:  
Static level 49 ft. below land surface Date 1-21-71  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.:  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.:  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

3 1/4 gal. @ 20 sec  
6 sec. for bk.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME Ralph M. Scott Water Well Drillers Registration No. 404  
(Type or Print)  
ADDRESS P.O. Box 275 Conroe, Texas 77301  
(Street or RFD) (City) (State)  
(Signed) Ralph M. Scott Conroe Water Well  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
AUG 27 1971

Central Records  
Texas Water Development Board

DEVELOPMENT BOARD  
TEXAS WATER

JUL 19 1971

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-29-7G  
Located on map yes  
Received: 70  
all

1) OWNER:  
Person having well drilled ANDY HYMAN Address NEW WAVERLY TEX  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address SAME  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 1 1/2 miles in S Int 45 direction from NEW WAVERLY  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
1 1/2 mi S on Int 45 from  
compass on 1375, 200 yds on  
N. of feeder  
(Use reverse side if necessary) ↑  
or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 4 in. Depth drilled 155 ft. Depth of completed well 155 ft. Date drilled 9-28-70  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-44	44	Clay grey
44-44.5	44.5	Sandstone
44.5-75	75	Clay grey
75-81.5	81.5	Sand
81.5-98	98	Clay grey
98-155	155	Sand

9) CASING:  
Type: Old \_\_\_\_\_  New \_\_\_\_\_ Steel \_\_\_\_\_  Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 155 PUCHELD  
40  
10) SCREEN:  
Type Plastic  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
4 14.5 155 1264

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 42 ft. below land surface Date 9-29-70  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:  
Was a pump test made?  Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: 25 gpm with 5 ft. drawdown after 2 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? \_\_\_\_\_ Yes  No \_\_\_\_\_  
Did any strata contain undesirable water? \_\_\_\_\_ Yes  No \_\_\_\_\_  
Type of water? SOFT depth of strata 57

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME J O Feigel Water Well Drillers Registration No. 897  
(Type of Print)  
ADDRESS 32 Lindbergh Conroe Texas 77801  
(Street or RFD) (City) (State)  
(Signed) James V. Feigel AAA WATER WELLS INC  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
DEC 11 1970

Central Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

NOV 18 1970

RECEIVED


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 603-20-7E Located on map 795 Received: 69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Raymond Luse Address Mt Zion Rd New Waverly Texas Landowner Same Address Same

2) LOCATION OF WELL: County Wacker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey



3) TYPE OF WORK (Check): New Well [X] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [ ] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 158 ft. Depth of completed well 158 ft. Date drilled 5-1-69 All measurements made from 4 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include clay, sand, and sand (coarse).

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include rock, clay, and sand.

7) COMPLETION (Check): Straight wall [X] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 45' ft. below land surface Date 5-1-69 Artesian pressure \_\_\_ lbs. per square inch Date \_\_\_

9) CASING: Type: old [ ] New [X] Steel [ ] Plastic [ ] Other [ ] Cemented from \_\_\_ ft. to \_\_\_ ft.

10) SCREEN: Type Monometal cell stainless Perforated [X] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Gage. Row: 2", 0, 152, sch 40

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Slot size. Row: 2", 152, 158, .012 in

11) WELL TESTS: 5 gal @ 15 sec. Was a pump test made? [ ] Yes [ ] No If yes by whom? 4 sec. feed back Yield: \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Bailer test \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Artesian flow \_\_\_ gpm Date \_\_\_ Temperature of water \_\_\_ Was a chemical analysis made? [ ] Yes [ ] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? \_\_\_ depth of strata \_\_\_

12) PUMP DATA: Manufacturer's Name Sta-Rite Pump Co. Type MSF H.P. 1 1/2 Designed pumping rate 520 gpm [ ] gph [X] Type power unit Jet Depth to bowls, cylinder, jet, etc., 105 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Ralph M. Scott Water Well Drillers Registration No. 404 Address P.O. Box 275 Cascade Texas 77301 (Signed) Ralph M. Scott Can-Tex Water Well Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
OCT 24 1969

Control Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

AUG 27 1969

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-7D Located on map 408 Received: 6/5/69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Frank Harlock Cedar Hill Farm Mt. Zion Rd. Address (Street or RFD) Willis, Texas (City) (State) Landowner Same (Name) Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey 6 miles in North direction from Willis (Town) (NE, SW, etc.)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check): New Well [checked] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [checked] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [checked] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 193 ft. Depth of completed well 193 ft. Date drilled 2-25-69 All measurements made from 4 ft. above ground level.

Table with 2 columns for well log data: From (ft.), To (ft.), Description and color of formation material. Includes entries for Clay, Sand + clay, Clay w/ rock streaks, Hard sand + clay, Sand, Rock, and Sand (Rock on bottom).

7) COMPLETION (Check): Straight wall [checked] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ] 8) WATER LEVEL: Static level 69 ft. below land surface Date 2-25-69 Artesian pressure \_\_\_ lbs. per square inch Date \_\_\_

9) CASING: Type: old [ ] New [checked] Steel [checked] Plastic [ ] Other [ ] Cemented from \_\_\_ ft. to \_\_\_ ft. 10) SCREEN: Type Greyflow-plastic Perforated [checked] Slotted [ ]

Table for casing and screen specifications: Diameter (inches), Setting (From/To ft.), Gage, Slot size. Includes entries for 2 inch diameter, 185 to 193 ft setting, sch 40 gage, and 14 ga slot size.

11) WELL TESTS: Was a pump test made? [ ] Yes [ ] No If yes by whom? Yield: \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Bailer test \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Artesian flow \_\_\_ gpm Date \_\_\_ Temperature of water \_\_\_ Was a chemical analysis made? [ ] Yes [ ] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? \_\_\_ depth of strata \_\_\_ 12) PUMP DATA: Manufacturer's Name Gardner Type Gardner H.P. Designed pumping rate \_\_\_ gpm [ ] gph [ ] Type power unit \_\_\_ Depth to bowls, cylinder, jet, etc. below land surface. 2730'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Ralph M. Scott Water Well Drillers Registration No. 404 Address P.O. Box 275 Conroe Texas 77301 (Signed) Ralph M. Scott (Water Well Driller) Conroe Water Well Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
AUG 27 1969  
TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
OCT 24 1969  
Center Building  
Texas Water Development Board


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-29-7F  
Located on map 100  
Received: 7/2  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled RAY BILNOSKI Address New Waverly Tex  
(Name) (Street or RFD) (City) (State)  
Landowner \_\_\_\_\_ Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section 2 Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)



3) TYPE OF WORK (Check):  
New Well  Deepening   
Reconditioning  Plugging

4) PROPOSED USE (Check):  
Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
Rotary  Driven  Dug   
Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 4 1/2 in. Depth drilled 163 ft. Depth of completed well 163 ft. Date drilled 12-19-68  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
	<u>3</u>	<u>surface</u>			
<u>3</u>	<u>80</u>	<u>white clay</u>			
<u>80</u>	<u>84</u>	<u>Rock</u>			
<u>84</u>	<u>91</u>	<u>Clay</u>			
<u>91</u>	<u>95</u>	<u>Rock</u>			
<u>95</u>	<u>163</u>	<u>sand</u>			

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall  Gravel packed  Other   
Under reamed  Open hole

8) WATER LEVEL:  
Static level 25 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old  New  Steel  Plastic  Other   
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

10) SCREEN:  
Type 55 Rif  
Perforated  Slotted

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
		<u>157</u>			<u>157</u>	<u>163</u>	<u>12</u>

11) WELL TESTS:  
Was a pump test made?  Yes  No If yes by whom?  
Yield: 20 gpm with air ft. drawdown after \_\_\_\_\_ hrs  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_  
Was a chemical analysis made?  Yes  No  
Did any strata contain undesirable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

12) PUMP DATA:  
Manufacturer's Name Goulds  
Type Jet H.P. 1  
Designed pumping rate 10 gpm  gph   
Type power unit \_\_\_\_\_  
Depth to bowls, cylinder, jet, etc., 84 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L M PATERSON (Type or Print) Water Well Drillers Registration No. 182  
Address Rt 3 Box 159 (Street or RFD) Conroe (City) Tex (State)  
(Signed) L M Paterson (Water Well Driller) \_\_\_\_\_ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

MAY 12 1970

TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED

MAY 11 1970

Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-7c Located on map 7e3 Received: 68 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Herb Conner (Name) Address Route 2 Spring Tex (Street or RFD) (City) (State) Landowner Walker (Name) Address Box 475-D (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey

2 1/2 miles in S direction from New Waverly (Town) (NE, SW, etc.)



3) TYPE OF WORK (Check): New Well [checked] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [checked] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [checked] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 168 ft. Depth of completed well 168 ft. Date drilled 2-17-68 All measurements made from 4 ft. above ground level.

Table with 2 columns for From (ft.) and To (ft.), and Description and color of formation material. Entries include Clay + Rock, Sand, Clay, Sand, clay, Sand.

7) COMPLETION (Check): Straight wall [checked] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ] 8) WATER LEVEL: Static level 47 ft. below land surface Date 2-17-68 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [ ] New [checked] Steel [ ] Plastic [ ] Other [ ] Cemented from 0 ft. to 131 ft. 10) SCREEN: Type Monometal Perforated [checked] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting (From (ft.) To (ft.)), Gage, and Slot size. Entries include 4 inch diameter, 0 to 131 ft setting, and 2 1/2 inch diameter, 158 to 168 ft setting.

11) WELL TESTS: Was a pump test made? [ ] Yes [ ] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [ ] Yes [ ] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? depth of strata 12) PUMP DATA: Manufacturer's Name Ruth-Berry Pump Co. Type 11K H.P. 1 Designed pumping rate 775 @ 40' pres. gpm gph Depth to bowls, cylinder, jet, etc., 126' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Ralph M. Scott (Type or Print) Water Well Drillers Registration No. 400 Address P.O. Box 275 Conroe Tex. 77301 (Street or RFD) (City) (State) (Signed) Ralph M. Scott (Water Well Driller) Conroe Tex Water Well Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

JULY - 6 1958

Central Electric  
Power Development Board

RECEIVED

MAR 12 1968

TEXAS WATER  
DEVELOPMENT BOARD

File original copy with Texas Water Commission P. O. Box 12311, Capitol Station Austin, Texas 78711


State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only  
Well No. 60-29-7B  
Located on map M-2  
By MSD Date 7/6/65  
Map no. 236

1) Well Owner: Fred Amerson New Waverly  
 2) Land Owner: same same  
 3) Intended use: Industrial  ; Municipal  ; Irrigation  ; Other residence  
 4) Location of well: County Montgomery Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
 NW<sup>1</sup> NE<sup>1</sup> SW<sup>1</sup> SE<sup>1</sup> of Section Walker Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)

16 miles in N direction  
from Conroe Town



Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 5 5/8 in. Date drilled 6-12-65  
 All measurements made from 1 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	11	Clay (Red)			
11	39	Sand (white)			
39	46	Clay w/ Grav. (white)			
46	83	Sand (white)			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION	CASING	SCREEN
Straight wall <input checked="" type="checkbox"/>	Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/>	Type <u>Stainless Steel</u>
Under reamed <input type="checkbox"/>	Cemented from _____ ft. to _____ ft.	Perforated <input checked="" type="checkbox"/> Slotted <input type="checkbox"/> <u>Under bar + wrapped</u>
Gravel packed <input type="checkbox"/>	Diameter (inches)   Setting from (ft)   to (ft)	Diameter (inches)   Setting from (ft)   to (ft)
Open hole <input type="checkbox"/>	3"   0   68	3"   68   78
Other _____		

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Bruce Davis Signature Can-Tex Water Well Co Company Name Reg. No. 717

Please attach electric log, chemical analysis, and other pertinent information if available.  
 If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level <u>37</u> ft. below _____	Pump type <u>Jet</u>
Pumping level feet   hours   gpm	Designed pumping rate <u>600</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/>
	Type power unit <u>MSD Sta-Rite</u>
<u>3/4 Gal in 39 sec.</u>	Horsepower <u>3/4</u>
	Depth to bowls, cylinder, jet, etc., <u>58'6"</u> ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: \_\_\_\_\_

*[Faint, illegible handwritten text]*

Central Records  
Texas Water Development Board

RECEIVED  
JUL 27 1965

TEXAS WATER COMMISSION  
AUSTIN, TEXAS